

Contents

| | |
|--|-----|
| Abstract | III |
| Zusammenfassung | V |
| Abbreviations..... | VII |
| 1 Introduction..... | 1 |
| 1.1 Use of pesticides | 1 |
| 1.2 Azole fungicides | 1 |
| 1.3 Multiple residues of pesticides | 2 |
| 1.4 Hepatotoxic effects | 4 |
| 1.4.1 Steatotic effects | 5 |
| 1.4.2 Nuclear receptors | 6 |
| 1.4.3 CYP enzymes..... | 9 |
| 2 Objective | 10 |
| 3 Original manuscripts..... | 11 |
| 3.1 Article I: Unexpected effects of propiconazole, tebuconazole and their mixture on the receptors CAR and PXR in human liver cells | 12 |
| 3.1.1 Abstract | 13 |
| 3.1.2 Introduction..... | 13 |
| 3.1.3 Materials and methods | 15 |
| 3.1.4 Results | 20 |
| 3.1.5 Discussion | 28 |
| 3.1.6 Supplementary material description..... | 32 |
| 3.2 Article II: Propiconazole is an activator of AHR and causes concentration additive effects with an established AHR ligand..... | 33 |
| 3.2.1 Abstract | 34 |
| 3.2.2 Introduction..... | 34 |
| 3.2.3 Materials and Methods | 35 |
| 3.2.4 Results | 41 |
| 3.2.5 Discussion | 50 |
| 3.2.6 Supplementary material description..... | 53 |
| 3.3 Article III: The azole fungicide tebuconazole affects human CYP1A1 and CYP1A2 expression by an aryl hydrocarbon receptor-dependent pathway | 54 |
| 3.3.1 Abstract | 55 |
| 3.3.2 Introduction..... | 55 |
| 3.3.3 Materials and Methods | 57 |
| 3.3.4 Results | 61 |
| 3.3.5 Discussion | 69 |
| 3.3.6 Supplementary material description..... | 72 |

Contents

| | | |
|-------|--|-----|
| 3.4 | Article IV: Pregnane X receptor mediates steatotic effects of propiconazole and tebuconazole in human liver cell lines..... | 73 |
| 3.4.1 | Abstract | 74 |
| 3.4.2 | Introduction..... | 74 |
| 3.4.3 | Materials and Methods | 77 |
| 3.4.4 | Results | 80 |
| 3.4.5 | Discussion | 88 |
| 3.4.6 | Supplementary material description..... | 91 |
| 4 | General discussion | 92 |
| 4.1 | Pi and Te are multi-receptor agonists | 92 |
| 4.2 | Species differences in triazole-mediated hepatotoxicity | 93 |
| 4.3 | Suitability of HepaRG and HepG2 cell lines | 94 |
| 4.4 | Steatotic effects of triazoles | 94 |
| 4.5 | Combination effects of Pi and Te | 95 |
| | References | 97 |
| | Acknowledgments | 105 |
| | Funding | 107 |
| | Selbstständigkeitserklärung | 108 |
| | Supplementary material..... | i |
| | Article I: Unexpected effects of propiconazole, tebuconazole and their mixture on the receptors CAR and PXR in human liver cells..... | i |
| | Article II: Propiconazole is an activator of AHR and causes concentration additive effects with an established AHR ligand | iv |
| | Article III: The azole fungicide tebuconazole affects human CYP1A1 and CYP1A2 expression by an aryl hydrocarbon receptor-dependent pathway | vii |
| | Article IV: Pregnane-X-receptor mediates steatotic effects of propiconazole and tebuconazole in human liver cell lines..... | ix |