

Contents

Preface	vii
Vorwort	ix
Outline	xi
1 Introduction	1
1.1 Characteristic Cable Structures	1
1.2 Structural Forms of Cable Structures	5
1.3 Cable Structures with CFRP Cables	7
2 Concept of Orthogonally Loaded Cable Structures	21
2.1 Design Principles of Cable Structures	21
2.2 Pre-tension Theory of Cables	23
2.3 Stiffness Matrices of Cable Elements	27
2.3.1 Finite element discretisation of cable structures	27
2.3.2 Formulation of stiffness matrices for three dimensional cable elements	28
2.3.2.1 Virtual work theory	29
2.3.2.2 Relationship between displacement and strain	31
2.3.2.3 Stiffness matrices in the local coordinate system	32
2.3.2.4 Transformation of coordinate system	37
2.4 Composition of Structural Stiffness of Cable Structures	40
2.5 Definition of Orthogonally Loaded Cable Structures	47
3 Carbon Fibre Reinforced Polymer (CFRP) Cables	49
3.1 Introduction of CFRPs	49
3.1.1 Composition of CFRPs	49
3.1.2 Fabrication of CFRPs	55
3.1.2.1 Contact moulding	56
3.1.2.2 Resin transfer moulding (RTM)	57
3.1.2.3 Pultrusion	58
3.2 Introduction of CFRP Cables	59
3.2.1 Structural forms of CFRP cables	59
3.2.2 Mechanical properties of CFRP cables	60
3.2.3 Unit prices of CFRP cables	62
4 Case Study A: Using CFRP Cables in a Cable Net Facade	65
4.1 Introduction of Cable Net Facade	65

4.2	Design Parameters of Investigated Cable Net Facade	67
4.3	Principles of Comparison and Design	69
4.4	Comparison Results	71
4.4.1	Comparison result of structural stiffness	72
4.4.2	Comparison result of amount of cable used	76
4.4.3	Comparison of economic efficiency	80
5	Case Study B: Using CFRP Cables in a spoked wheel Cable Roof	83
5.1	Introduction of spoked wheel Cable Roof	83
5.2	Design Parameters of Investigated Spoked Wheel Cable Roof	86
5.3	Principles of Comparison and Design	89
5.4	Comparison Results	91
5.4.1	Comparison result of structural stiffness	92
5.4.2	Comparison result of amount of cable used	96
5.4.3	Comparison of economic efficiency	101
5.5	Influence of θ on Advantages of CFRP Orthogonally Loaded Cable Structures	104
5.5.1	Influence of varying θ on the advantage in respect of structural stiffness	104
5.5.2	Influence of varying θ on the advantage in respect of amount of cable used	106
5.5.3	Influence of varying θ on the advantage in respect of cable cost	108
6	Anchoring CFRP Cables in Orthogonally Loaded Cable Structures	111
6.1	Existing CFRP Cable Anchorages	111
6.1.1	Clamp anchorages	111
6.1.2	Bond anchorages	115
6.1.3	Pin-loaded anchorages	118
6.2	Design Principles of CFRP Cable Anchorages	119
6.3	New Design A: CFRP Cable Winding-Clamp Anchorage	125
6.3.1	Conceptual design	125
6.3.2	Actual design	130
6.3.3	Finite element analysis	133
6.3.3.1	Finite element model	133
6.3.3.2	Material properties and constitutive relations	135
6.3.3.3	Finite element analysis results	142
6.3.4	Experimental verification	146
6.3.4.1	Experimental set-up	146
6.3.4.2	Experimental result	147
6.4	New Design B: CFRP Cable Thimble-Clamp Anchorage	150

6.4.1	Conceptual design	150
6.4.2	Actual design	153
6.4.3	Finite element analysis	155
6.4.3.1	Finite element model	155
6.4.3.2	Material properties and constitutive relations	157
6.4.3.3	Finite element analysis results	157
6.4.4	Experimental verification	162
6.4.4.1	Experimental set-up	162
6.4.4.2	Experimental result	163
7	Prototype of CFRP Orthogonally Loaded Cable Structure	167
7.1	Conceptual Design	167
7.2	Finite Element Analysis and Experimental Verification	169
7.3	Manufacture of Components and Construction of Actual Structure	174
8	A Novel Design: CFRP Continuous Band Winding System	179
9	Conclusions and Recommendations	187
9.1	Conclusions	187
9.2	Recommendations	189
	List of Symbols	191
	List of Tables	195
	List of Figures	197
	References	207
	Appendix A – Numerical Analysis Procedure of Cable Structures	215
A.1	Introduction to Theory	215
A.2	Case Studies	218
A.2.1	Case A: initial control angle $\theta = 89^\circ$	219
A.2.2	Case B: initial control angle $\theta = 85^\circ$	221
A.2.3	Case C: initial control angle $\theta = 81^\circ$	224
	Appendix B – FORTRAN Source Code: ABAQUS UMAT Subroutine	227