

# Contents

<b>Abstract</b>	<b>iii</b>
<b>Zusammenfassung</b>	<b>v</b>
<b>Acknowledgments</b>	<b>vii</b>
<b>Acronyms and Abbreviations</b>	<b>xiii</b>
<b>Frequently used symbols</b>	<b>xv</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Overview of video compression . . . . .	1
1.1.1 Definition and significance . . . . .	1
1.1.2 Basic structure . . . . .	2
1.1.3 Video coding standards . . . . .	5
1.2 Scope of the present PhD thesis . . . . .	5
1.2.1 Definition of an intra subpartitioning method . . . . .	5
1.2.2 Main contributions . . . . .	6
1.3 Academic publications . . . . .	6
1.4 Contributions to the standardization of VVC . . . . .	7
1.5 Organization of the document . . . . .	9
1.6 Other aspects . . . . .	9
1.6.1 Experimental framework used for the simulations . . . . .	9
1.6.2 Conventions used in this document . . . . .	10
<b>2 Background</b>	<b>11</b>
2.1 Introduction . . . . .	11
2.2 Block structure in VVC . . . . .	11
2.3 Coding of luma intra-predicted blocks in VVC . . . . .	12
2.3.1 Prediction . . . . .	13
2.3.2 Transform . . . . .	17
2.3.3 Quantization and residual coding . . . . .	18
2.4 Intra mode estimation in VTM for the luma component . . . . .	19
2.5 Related work on intra subpartitioning methods . . . . .	20
2.5.1 Line-based methods . . . . .	20
2.5.2 Residual Quad-Tree . . . . .	22
2.5.3 Short Distance Intra Prediction . . . . .	22
2.5.4 Proposals considered during the standardization of VVC . . . . .	24

<b>3</b>	<b>Theoretical foundations</b>	<b>25</b>
3.1	Introduction . . . . .	25
3.2	The coding gain . . . . .	25
3.2.1	One-dimensional case . . . . .	26
3.2.2	Two-dimensional case . . . . .	29
3.3	The stationary model . . . . .	31
3.3.1	Residual autocorrelation and transform selection . . . . .	32
3.4	A non-stationary edge model . . . . .	34
3.4.1	Vertical edge . . . . .	35
3.4.2	Horizontal edge . . . . .	39
3.4.3	Problems associated with the KLT solution . . . . .	45
3.5	A subpartitioning alternative for the edge model . . . . .	46
3.5.1	Residual autocorrelation of the edge model when ISP is used . . . . .	48
3.6	Performance of ISP over the conventional method . . . . .	51
3.6.1	Summary of the two methods . . . . .	52
3.6.2	Particular cases of the coding gain . . . . .	53
3.6.3	Results for different parameter values . . . . .	56
3.7	Summary of the chapter . . . . .	64
<b>4</b>	<b>The Intra Subpartition method</b>	<b>65</b>
4.1	Introduction . . . . .	65
4.2	Layout . . . . .	65
4.2.1	Constraints on the number of subpartitions . . . . .	66
4.3	Subpartition coding process . . . . .	68
4.4	Intra prediction . . . . .	68
4.5	Processing order . . . . .	69
4.5.1	The normal order and its shortcomings for ISP . . . . .	69
4.5.2	The reversed orders . . . . .	70
4.5.3	Summary of the definition of the processing orders . . . . .	73
4.5.4	An implementation of angular intra prediction for the RPO reusing the existing angular modes . . . . .	74
4.6	Transform Selection . . . . .	77
4.6.1	Primary transform selection . . . . .	77
4.6.2	Secondary transform selection . . . . .	80
4.6.3	Relationship with Transform Skip . . . . .	81
4.7	Coefficient Coding . . . . .	82
4.7.1	CBF context selection . . . . .	82
4.7.2	CBF value inference . . . . .	83
4.7.3	Coordinates of the position of the last significant coefficient . . . . .	85
4.7.4	Coefficient Group shapes . . . . .	85
4.8	Experimental conditions and encoder estimation . . . . .	86
4.9	Coding efficiency analysis of the number of subpartitions . . . . .	87
4.9.1	Only one combination per block . . . . .	88
4.9.2	Two combinations per block . . . . .	89
4.9.3	More than two combinations per block . . . . .	90
4.9.4	Additional versions . . . . .	93
4.10	Analysis of the results of the best version . . . . .	95
4.10.1	Evaluation of individual aspects of the algorithm . . . . .	97
4.11	Summary of the chapter . . . . .	99

<b>5</b>	<b>Decoder simplifications</b>	<b>101</b>
5.1	Introduction	101
5.2	Analysis of hardware-related issues	101
5.3	Modifications to reduce the complexity	103
5.3.1	Solution to <b>Issue 1</b> : very small subpartitions	103
5.3.2	Solution to <b>Issue 2</b> : very short subpartition widths	104
5.3.3	Solution to <b>Issue 3</b> : additional memory requirements of the RPO	106
5.4	Other simplifications	107
5.5	Empirical results	107
5.5.1	Average results of all versions	107
5.5.2	Full results of the highest gain version	111
5.5.3	Impact of the individual simplifications	112
5.6	Summary of the chapter	113
<b>6</b>	<b>Encoder Optimization</b>	<b>115</b>
6.1	Introduction	115
6.2	The purpose of the encoder search	115
6.3	The VTM encoder search for intra-predicted luma blocks	116
6.3.1	Coding tool parameters of the search	116
6.3.2	Selection of the RD cost candidates	117
6.3.3	Structure of the estimation process	118
6.4	The main challenge of the ISP search	118
6.5	The ISP search	120
6.5.1	Structure	120
6.5.2	Intra mode selection	121
6.5.3	Order of the ISP tests	122
6.5.4	Early termination of an ISP test	127
6.5.5	Skip ISP tests based on previous tests	130
6.6	Other fast algorithms related to the ISP search	135
6.6.1	Skip ISP tests based on the non-ISP performance	136
6.6.2	Skip ISP tests based on the result of a related block	137
6.6.3	Skip remaining non-ISP transform tests based on the ISP performance	138
6.7	Summary of the optimized ISP encoder search	138
6.8	Empirical results	139
6.8.1	Average results of all versions	139
6.8.2	Analysis of the trade-off results	143
6.8.3	Full results of the two selected versions	148
6.9	Summary of the chapter	151
<b>7</b>	<b>Statistics</b>	<b>153</b>
7.1	Introduction	153
7.2	Utilization of ISP	154
7.3	Intra mode utilization	155
7.4	Block size utilization	155
7.5	LFNST utilization on ISP blocks	162
7.6	Utilization of the ISP combinations	163
7.6.1	Split type utilization	165
7.6.2	Number of subpartitions utilization	170
7.7	Joint utilization of the ISP combination, intra mode category and aspect ratio	172
7.8	Relative frequency distribution of the CBF compositions	174
7.9	Summary of the chapter	178

<b>8</b>	<b>Further studies</b>	<b>179</b>
8.1	Introduction . . . . .	179
8.2	ISP using intra modes derived at the decoder . . . . .	179
8.2.1	The template-based DIMD method used . . . . .	180
8.2.2	Utilization of DIMD for ISP blocks . . . . .	183
8.2.3	Empirical results of the ISP-DIMD combination . . . . .	183
8.3	An ISP layout for localized residual energy blocks . . . . .	186
8.3.1	Overview of the Spatially Varying Transform (SVT) . . . . .	187
8.3.2	Integration of the SVT within the ISP architecture . . . . .	188
8.3.3	Empirical results of the ISP-SVT combination . . . . .	190
8.4	Joint optimization of the CBF values . . . . .	192
8.4.1	Description of the experiment . . . . .	192
8.4.2	Empirical results . . . . .	193
8.5	An ISP implementation for lossless coding . . . . .	194
8.5.1	Enabling ISP for lossless coding . . . . .	195
8.5.2	Optimization of the ISP encoder search for lossless coding according to the SAD-based cost . . . . .	197
8.6	Summary of the chapter . . . . .	199
<b>9</b>	<b>Conclusions</b>	<b>201</b>
<b>A</b>	<b>Layout structures</b>	<b>203</b>
A.1	One and two combinations per block size . . . . .	203
A.2	More than two combinations per block size . . . . .	215
A.3	Additional versions . . . . .	216
	<b>Bibliography</b>	<b>219</b>