

Table of contents

Abstract	I
Zusammenfassung	III
Table of contents	V
List of figures	IX
List of tables	XIII
Abbreviations	XV
1 Introduction	1
1.1 The immune system	1
1.2 Antibody-mediated immunity	2
1.3 Plasma cells and humoral memory.....	5
1.3.1 Plasma cell differentiation	5
1.3.2 Cellular adaptations and intrinsic regulation of plasma cell function.....	8
1.3.3 Plasma cell long-term maintenance: migration to the bone marrow	9
1.3.4 Bone marrow plasma cell survival niche	10
1.4 State-of-the-art human <i>in vitro</i> plasma cell models	15
1.5 Modelling of a complex microenvironment: 3D cultures and microphysiological systems.....	17
1.6 Aim of the thesis	21
2 Materials and methods	23
2.1 Materials	23
2.1.1 Cell culture medium and supplements	23
2.1.2 Buffers, reagents and chemicals.....	23
2.1.3 Buffer and medium compositions.....	25
2.1.4 Antibodies for immunofluorescence and flow cytometry	25
2.1.5 Magnetic Beads	26
2.1.6 Kits	27
2.1.7 Primer.....	27
2.1.8 Consumables	28
2.1.9 Technical Equipment.....	29
2.1.10Software	30
2.2 Methods	31
2.2.1 Human samples	31
2.2.2 Isolation and culture of primary human bone marrow plasma cells	31
2.2.2.1 Isolation of bone marrow mononuclear cells	31
2.2.2.2 Magnetic separation of plasma cells.....	32
2.2.3 Isolation of primary human bone marrow CD11b ⁺ cells	32
2.2.4 Isolation and culture of primary human mesenchymal stromal cells.....	33
2.2.4.1 Passaging of mesenchymal stromal cells.....	34
2.2.5 The <i>in vitro</i> plasma cell culture.....	35
2.2.5.1 The 2D culture system.....	35

2.2.5.2	The 3D scaffold-based culture system	37
2.2.6	Harvesting of plasma cells after cultures	38
2.2.7	Flow Cytometry	40
2.2.8	Multiplex immunoassay	41
2.2.9	Quantitative Reverse Transcription PCR Analysis.....	42
2.2.9.1	RNA Isolation.....	42
2.2.9.2	cDNA Synthesis and Quantitative Reverse Transcription PCR.....	42
2.2.10	Immunofluorescence and confocal microscopy	43
2.2.11	Treatment with inhibitors	44
2.2.12	Assessment of cell count and confluency in 2D MSC cultures	45
2.2.13	Next-generation sequencing for transcriptome analysis	45
2.2.14	Microfluidic Multi-Organ-Chip fabrication and culture system	46
2.2.15	Statistical Analysis	48
3	Results	49
3.1	Development of an <i>in vitro</i> model for the human bone marrow plasma cell niche	49
3.1.1	Establishment of BM PC isolation from human femoral heads reaching purities of 80%	49
3.1.2	Mesenchymal stromal cells generate a supportive BM microenvironment for plasma cell survival	54
3.1.3	The ratio of MSCs to PCs in the BM model is not central for PC survival.....	59
3.2	Optimisation of the BM PC model regarding partner cells and additional factors underlines MSCs as the main PC partner cells <i>in vitro</i>	61
3.2.1	<i>In vitro</i> long-term maintenance of functional human PCs depends on MSC co-cultures.....	61
3.2.2	Mononuclear cells show a trend of additional support to PC-MSC co-cultures	65
3.2.3	CD11b ⁺ BM hematopoietic cells do not provide additional support to PC-MSC co-cultures.....	67
3.2.4	Long-term survival of PCs <i>in vitro</i> is independent of serum and exogenous APRIL and BAFF.....	69
3.3	Cell contact, PI3K and NF-κB pathways are central for human PC survival <i>in vitro</i>	71
3.3.1	PCs rely on direct cell-cell contact with stromal cells <i>in vitro</i>	72
3.3.2	PI3K and NF-κB signalling pathways are involved in PC survival <i>in vitro</i>	73
3.3.3	PI3K and NF-κB signalling pathways are involved in immunoglobulin secretion by PCs cultured in 3D	76
3.3.4	Several of the PI3K and NF-κB pathway inhibitors, but not Wortmannin, affect the survival of stromal cells and the expression of PC niche factors ..	78
3.4	Integration of the 3D BM PC niche model into a microfluidic Multi-Organ-Chip system for future applications	90
4	Discussion	95
4.1	Human primary cells as building blocks for the new BM PC niche model	96
4.1.1	The importance of different markers for the isolation and characterisation of BM-derived PCs	96

4.1.2 Transcriptional analysis of BM-derived MSCs showed a supportive BM niche microenvironment <i>in vitro</i>	98
4.2 MSC cell contact, PI3K and NF- κ B signalling pathways are promoting PC survival <i>in vitro</i>	102
4.2.1 BM MSCs are the primary partner cells promoting PC survival <i>in vitro</i>	102
4.2.2 <i>In vitro</i> BM PC survival is independent of exogenous APRIL and BAFF	105
4.2.3 Cell-cell contact and PI3K and NF- κ B signalling pathways are central for PC survival <i>in vitro</i>	107
4.3 Implications for future applications of the model.....	111
4.3.1 3D cultures of the model on a microfluidic chip as a technological advancement.....	111
5 Conclusion	115
6 Perspective	117
References.....	119
Appendix.....	135
List of publications	139
Eigenständigkeitserklärung.....	141
Acknowledgement	143